

# COVID-19 PROTECTIVE MEASURES

## PI – Pharmaceutical Intervention

Unfortunately, there are no current pharmaceutical cures for COVID-19.

## NPI - Non-Pharmaceutical Intervention - Employees

- Stay home when not feeling well.
- Wash hands more often than normal with warm water and hand soap.
- Use hand sanitizer gels or wipes when and where available.
- Wear clean, and properly stored “personal” protective equipment (PPE).

# COVID-19 PROTECTIVE MEASURES

## NPI - Non-Pharmaceutical Intervention – PPE for Employees

### ❖ DO NOT

- Share PPE such as nuisance masks or respirators
- Use a nuisance mask that is dirty or contaminated
- Use a respirator that has not been fit-tested to the wearer
- Use a respirator that has been stored in a potentially dirty environment
- Use a respirator that is not intended for the assigned work activity

# COVID-19 PROTECTIVE MEASURES

## NPI - Non-Pharmaceutical Intervention – PPE for Employees

### ❖ DO

- Clean respirators with warm water and dish detergent after each use
- Discard nuisance masks that are dirty, damaged, or contaminated
- Keep masks and respirators in sealed containers clearly indicating user
- Use a respirator that is designed and engineered for your work activity
- Wash hands and exposed skin before leaving work at the end of the day

# COVID-19 PROTECTIVE MEASURES

## NPI - Non-Pharmaceutical Intervention – Employers

### ❖ DO

- Prepare and communicate safe respiratory program policies and procedures
- Designate a company contact responsible for respiratory programs
- Provide an adequate inventory of respiratory protection devices
- Provide hand soap, single-use towels, and sanitizers in work locations
- Conduct and document frequent respiratory training for all staff
- Develop and implement less risky crew transportation methods

# COVID-19 PROTECTIVE MEASURES

## NPI - Non-Pharmaceutical Intervention – Employers

### ❖ WORKING WITH THE 6-FOOT SPACE AND SANITATION RECOMMENDATIONS

- Limit occupants in “crew cab” vehicles
- Keep hard surfaces in vehicles sanitized frequently
- Suggest employee commuting to worksite as an option
- Provide hand soap, single-use towels and sanitizers in work locations
- Encourage frequent hand washing/sanitizing, especially before meals
- Provide liquid refreshment often with single-use drinking vessels